Fluid Phase Equilibria, 86 (1993) 371–372
Elsevier Science Publishers B.V., Amsterdam

Contents Volume 86 (1993)

On the calculations of azeotropes from the NRTL and UNIQUAC models
Y. Demirel (Adana, Turkey) 1–13
Thermodynamic properties of fluid oxygen from the SSR–MPA potential
D. Heinemann, M. Ripke and K. Lucas (Duisburg, Germany) 15–25
Extension of the SWLE equation of state to property calculations for soft-core fluids
S. Shen and B.C.-Y. Lu (Ottawa, Ont., Canada) 27–46
An equation of state for hydrogen fluoride
C.H. Twu, J.E. Coon and J.R. Cunningham (Fullerton, CA, USA) .. 47–62
Vapor–liquid equilibria from an improved hard convex body expansion method. Part I. Pure non-polar fluids
Y.-C. Chen and Y.-P. Chen (Taipei, Taiwan, ROC) 63–85
Vapor–liquid equilibria from an improved hard convex body expansion method. Part II. Non-polar mixtures
Y.-C. Chen and Y.-P. Chen (Taipei, Taiwan, ROC) 87–109
A general technique for the calculation of formation conditions of natural gas hydrates
E.S. Barkan and D.A. Sheinin (Jerusalem, Israel) 111–136
Simplified hole theory equation of state for polymer liquids
C. Zhong, W. Wang and H. Lu (Beijing, China) 137–146
Gibbs ensemble simulation of mixed solvent electrolyte solutions
H.J. Strauch and P.T. Cummings (Charlottesville, VA, USA) 147–172
Development of a vapour–liquid equilibrium apparatus to work at pressures up to 3 MPa
B. Wiśniewska, J. Gregorowicz and S. Malanowski (Warsaw, Poland) 173–186
Solid–liquid equilibria and modeling of the binary systems water–methylhydrazine and water–1,1-dimethylhydrazine
M. Ferriol, M. Giudice, M.T. Cohen-Adad (Villeurbanne, France), M. Foulon, Y. Guinet, N. Lebrun, M. Muller (Villeurbanne, d'Ascq, France), J.C. Bureau and T. El Widadi (Villeurbanne, France) 187–200
Vapour–liquid equilibria in nonpolar mixtures. Part I. 2,2,4-Trimethylpentane with benzene, toluene, *o*-xylene, *p*-xylene, ethylbenzene and propylbenzene at 313.15 K
M. Goral and N. Asmanova (Warsaw, Poland) 201–209
Vapour–liquid equilibria for carbon dioxide and 1-methylnaphthalene: experiment and correlation
C.J. Gregg and M. Radosz (Annandale, NJ, USA) 211–223
Gas solubility of carbon dioxide and hydrogen sulfide in mixtures of sulfolane with monoethanolamine
F. Murrieta-Guevara, E. Rebolledo-Libreros and A. Trejo (Mexico City, Mexico) 225–231
Measurement and correlation of the solubility of *n*-alkanols (C_{18}, C_{20}) in *n*-alkanes (C_7–C_{16})
U. Domańska and J. Rolińska (Warsaw, Poland) 233–250

Revision of interaction parameters for estimating the enthalpies of mixtures of benzyl ethanoate + *n*-alkanes or 1-chloroalkanes using the UNIFAC model with presentation of new experimental data
J. Ortega (Las Palmas, Spain) and J.L. Legido (Vigo, Spain)..... 251–273
Near-critical and supercritical fluid densities of CO_2–SF_6 mixtures
M.S. Super, E.J. Beckman and R.M. Enick (Pittsburgh, PA, USA) 275–292
Volumetric and dielectric properties of the binary liquid systems: 1,2-dichloroethane + *n*-alkanes or +2,2,4-trimethylpentane
G. Hahn, P. Svejda (Bochum, Germany) and A. Dallos (Veszprém, Hungary..... 293–313
Determination of the density from simultaneous measurements of the refractive index and the dielectric constant of gaseous CH_4, SF_6 and CO_2
J. Obriot, J. Ge, T.K. Bose and J.-M. St-Arnaud (Trois-Rivières, Que., Canada)..... 315–350
Liquid–liquid equilibria for the systems triethylene glycol–toluene–heptane, propylene carbonate–toluene–heptane and propylene carbonate–*o*-xylene–heptane
A.B.S.H. Salem (Dhahran, Saudi Arabia)..... 351–361

Short Communication

Surface tension of HFC-134a
M.-S. Zhu, L.-Z. Han and C.-X. Lu (Beijing, China)..... 363–367

Author Index..... 369

Contents of Volume 86 (1993)..... 371–372